MOISTURE AND AIR

Householder's Guide



Problems and Remedies





My web sites target market your home to the lower mainland for buyers! My Webs Have Over 2,000,000 Hits Per Year!

Vancouver

www.vancouverhousehunting.com www.jimwilliamsrealtor.com

Metro Vancouver & Fraser Valley

www.forsalesold.org www.jimwilliamsrealtor.com

Tri-Cities

www.forsalesold.org

Pitt Meadows


www.forsalesold.net

Maple Ridge

www.jimjoyce.com www.mapleridgeoutdoors.com

Canada

www.forsalesold.com



Did you know 21% of the real estate buyers come from the internet, 94% of all adults on the lower mainland of BC are on the internet and start looking six months in advance of selling or buying or both.

Sell Your Home For The Most Money!

Hire Jim Williams your real estate internet specialist.

Experience the new wave of selling real estate.

Target Market your home and receive maximum \$\$\$ for your home!



To Sell Your Home For Top \$\$\$!
Call
604 463 2200

CMHC—HOME TO CANADIANS

Canada Mortgage and Housing Corporation (CMHC) has been Canada's national housing agency for more than 60 years.

Together with other housing stakeholders, we help ensure that the Canadian housing system remains one of the best in the world. We are committed to helping Canadians access a wide choice of quality, environmentally sustainable and affordable homes — homes that will continue to create vibrant and healthy communities and cities across the country.

For more information, visit our website at www.cmhc.ca

You can also reach us by phone at 1-800-668-2642 or by fax at 1-800-245-9274.

Outside Canada call 613-748-2003 or fax to 613-748-2016.

Cette publication est aussi disponible en français : L'air et l'humidité : 61227

Canada Mortgage and Housing Corporation supports the Government of Canada policy on access to information for people with disabilities. If you wish to obtain this publication in alternative formats, call 1-800-668-2642.

Printed: 2004, 2005, 2006, 2008

This booklet is intended to assist you to identify the signs and probable causes of moisture and moisture-related indoor air quality problems in your home, and to propose practical solutions.

Many household problems can be solved if you do one or more of the following:

- adopt strategies to prevent excess moisture in the home;
- perform maintenance or minor repairs;
- hire a professional contractor to make major repairs.

Renters: Report all plumbing leaks and moisture problems immediately to your building owner, manager, or superintendent. In cases where persistent water problems are not addressed, you may want to contact local or provincial health or housing authorities.

MOLD

Problems

Mold can cause:

- unsightly stains;
- damaged paints, wood, drywall, ceiling tiles and fabrics;
- damage to personal items;
- allergies; and
- illness.

Some symptoms

- discolouration on any surface such as walls, ceilings, or furnishings
- stains on carpets
- mold on drapes and backs of furniture
- stains on personal items close to affected areas such as storage boxes, clothing
- musty smells
- rotting wood

Prevention

Mold requires high humidity levels to grow. Some molds require condensation to start growing.

TO AVOID MOST MOLD PROBLEMS, KEEP MATERIALS DRY.

If mold is present, clean affected area as soon as possible, and identify the source of moisture that allowed the mold to grow in that location. This booklet will help you identify potential causes of the moisture and suggest ways to fix the problem.

Clean-up methods

You can clean small areas of mold yourself using an unscented detergent and water. The mold area is considered "small" if there are fewer than three patches, each patch smaller than one (I) square meter. If you have more than three patches or the areas are larger, you need a trained professional to assess your house. You may also need a trained contractor to clean extensive areas of mold.

When cleaning:

- use household rubber gloves;
- use a mask, rated N95, capable of filtering fine particles;
- use protective glasses;
- rinse well with clean, wet rag;
- dry.

Moldy ceiling tiles and carpets should be removed and discarded. Drywall that remains stained after cleaning with detergent and water may need to be removed. Try washing fabrics. If the mold odour or stain persists, discard.

The proper cleaning procedure involves removing the mold. Chemicals, such as bleach and fungicides are not recommended. It is important to remove all mold residue as it can cause allergies or illness.

MOISTURE PROBLEMS...

There are two types of moisture problems—leaks and condensation. This publication focuses on condensation problems.*

When warm, moist air comes into contact with a surface that is too cold, moisture condenses. The water and frost that you see collecting on windows is a visible example.

Condensation may also be collecting in your attic, and inside the exterior walls.

Over time, if the air in your house is too humid, the result may be damage to the house structure, your possessions and possibly your health. Controlling humidity in your home is the best step to preventing mold problems.

* Leaks from roofs and plumbing often cause moisture problems in homes. This topic is dealt with more extensively in other CMHC publications.

...CAN LEAD TO AIR QUALITY PROBLEMS

The air you breathe in your home should be clean (i.e. as free from pollutants as possible). For your health and comfort, your home should have an exchange of air between the indoors and outdoors. Without the air exchange, your home can accumulate moisture, mold can become a problem, and you can experience poor air quality.

Mold growing in your home can release mold spores, toxins from mold, and moldy odours.

Harmful chemicals can be released from synthetic fabrics, furnishings, and household products. Additional contributing sources of indoor air pollutants are cigarette smoke, burning candles, or improperly maintained or vented combustion devices, such as gas or propane cooking stoves, furnaces, water heaters, wood stoves and fireplaces.

The exchange of stale air with fresh air reduces potential air quality problems.



WHAT CAUSES MOISTURE AND AIR PROBLEMS IN YOUR HOME?

Causes

Condensation occurs on cold surfaces, It results from

- excessive moisture production:
 - ventilating with warm outdoor air during spring and summer can cause lots of condensation in basements;
 - by evaporation from showers, washing dishes and clothes, cooking, aquariums, standing water, people, pets and plants;
 - from inappropriate use of humidifiers;
 - in damp basements;
 - from earth floor basements or crawlspaces.
- inadequate ventilation with outdoor air:
 - air inside house is not exchanged with outdoor air (in general outside air in cold weather will help dry the air inside the house).
- cold surfaces due to:
 - inadequate heat or insufficient heat provided to areas of the home (i.e. spare bedroom heat blocked off if room isn't used regularly, unheated basement);
 - wide swings in inside temperature (i.e. thermostat setbacks, uneven heat distribution from use of wood stoves, unheated room);
 - poor air circulation within a room due to furnishings against exterior walls;
 - poor quality windows or heat blocked by blinds or drapes;
 - poorly insulated walls and ceilings.
- · cool basement surfaces in summer.

...HOW CAN YOU FIX THE PROBLEM?

Solutions

Reduction of moisture is the first priority:

- remove moisture sources:
- reduce basement moisture entry;
- discontinue use of humidifiers; and
- use a dehumidifier in the basement during fall, spring and summer.

Keeping surfaces warm is the second priority:

- upgrade windows with energy-efficient ones;
- keep walls and ceilings warm through adequate insulation;
- provide sufficient heat to all indoor areas in your home.

Adequate ventilation, good air circulation and maintaining adequate heat throughout your home are important and effective methods to help prevent moisture problems.

MOISTURE IS CONTINUALLY BEING RELEASED INSIDE YOUR HOME:









* In a heating season lasting 200 days, when your home is typically closed up, 2,000 to 10,000 litres (400 to 2,000 gallons) of moisture can be trapped. A cord of wood stored in your home can release more than 270 litres of moisture.



10 to 50 LITRES or 2 to 10 GALLONS EVERY DAY*







Find the moisture level in your house.


The amount of moisture in the air is normally measured as its relative humidity.

- A relative humidity sensor (hygrometer) can measure the moisture level of your home.
- Hygrometers can be purchased at your local hardware or building supply store.
- In very cold weather, a level of 30 per cent or lower may be needed to prevent window condensation
- In the winter heating season, the relative humidity should not exceed 45 per cent.
- Did you know: upgraded, energyefficient windows can support a higher level of relative humidity without condensation occurring?

* Now that you have a general idea of what causes moisture and air quality problems in your home, how to stop excessive moisture, and what your home's relative humidity is, take this book with you on a general inspection of your home. Each room specifically describes typical signs, possible causes and practical solutions.


I) PROBLEMS IN ALL LIVING AREAS?

CHECK
IF YOU HAVE
ANY OF
THESE
PROBLEMS




TYPICAL SIGNS

- ☐ Condensation on windows
- \square Rotting window sills
- ☐ Damaged gypsum board
- ☐ Musty smell
- \square Mold on walls
- ☐ Moldy drapes, carpets or furniture
- ☐ Mold in closets



☐ Humidifiers ☐ Excessive moisture from basement. or crawl spaces ☐ Many moisture-producing activities by occupants ☐ Too many people/pets ☐ Uncovered aquarium ☐ Large number of plants ☐ Firewood stored inside ☐ Poor circulation between rooms or within a room ☐ Cold surfaces due to inadequate insulation ☐ Large air leaks at electrical fixtures, window frames, etc ☐ Closed drapes preventing warm room air from warming window surfaces ☐ Closet contents stuffed against exterior wall ☐ Rooms kept too cool ☐ Inadequate ventilation

☐ Air conditioner poorly maintained



PRACTICAL SOLUTIONS

☐ Discontinue use of humidifiers. ☐ In summer use dehumidifier. ☐ Caulk basement floor to wall joint. ☐ Fix sources of moisture in basement or crawlspace. ☐ Install and use kitchen and bathroom exhaust fans. ☐ Cover aquarium. ☐ Reduce number of potted plants. ☐ Circulate air between rooms. ☐ Properly insulate cold surfaces. ☐ Seal large air leaks. ☐ Reduce stored items. Open drapes. ☐ Ensure one inch gap at bottom of closets, doors; leave closet doors open. ☐ Provide heat to all areas. ☐ Install a balanced ventilation system —and use it regularly. ☐ Keep air conditioning drip pans clean and the drain lines unobstructed and flowing properly.

2) PROBLEMS IN YOUR BASEMENT?*


CHECK
IF YOU HAVE
ANY OF
THESE
PROBLEMS



TYPICAL SIGNS

☐ Wet or damp floors or walls ☐ White powdery stains on exposed concrete walls or floor ☐ Stains on carpet ☐ Condensation on windows ☐ Rotting window sills ☐ A stuffy, damp smell ☐ Mold on joists behind insulation ☐ Mold developing on stored items (i.e. cardboard, clothing, etc.) ☐ Mold in cold cellar ☐ Mold in corners of outside walls or ceiling ☐ Water seeping through cracks in chimney ☐ Condensation dripping from cold water pipes

* A wet or damp basement, especially if heated, may generate much more moisture than all other sources combined.






PRACTICAL SOLLITIONS

1 OSSIDEE CAOSES	TRACTICAL SOLUTIONS
☐ Earth floor in crawl space or basement	☐ Cover earth floor in crawl space or basement with polyethylene or install a cement floor
☐ Cracks in walls or floors	☐ Fix cracks and leaks in basement
☐ Leaky appliance or plumbing	☐ Fix leaky plumbing and appliances
☐ Rain entering wall	☐ If the water and/or mold damage was caused
☐ Flooding	by sewage or other contaminated water, then
☐ High water table	call in a professional who has experience
☐ Groundwater running down walls and across floors into sump	cleaning and fixing buildings damaged by contaminated water
☐ Improper exterior grading of	☐ Fix landscape grading around
ground near basement walls	the house
☐ Sump pump not operating properly	☐ Repair sump pump
☐ Open sump pump	\square Install a tight-fitting cover on the sump pump.
☐ Humidifying device on your furnace	☐ Do not humidify whole house unless absolutely necessary
☐ Carpet on concrete floor	☐ Remove carpets
☐ Hot tub or pool inside home	☐ Cover or empty hot tub when not in use to prevent evaporation
☐ Firewood stored in basement	\square Store firewood outside the house
☐ Unvented dryer	☐ Install dryer vent to outside
☐ Wet clothes hung inside	\square Do not hang clothes to dry in the basement.
☐ No exhaust fan in bathroom	☐ Install bathroom fan exhausted to outside
☐ Items stored against wall or on floor	☐ Minimize stored materials in basement
☐ Unheated basement or crawlspace	☐ Provide sufficient heat to basement
☐ Blocked footing drains	\square May need to have footing drains inspected
☐ Flue gas condensation leaking from	and improved
chimney	\square Dehumidify basement during the warm
☐ Spillage of combustion gases from	months. (See the Clean Air Guide)
furnace or water heater	\square Remove ceiling tiles if they have mold.

☐ Insulate cold water pipes

3) PROBLEMS IN YOUR BATHROOM?

CHECK
IF YOU HAVE
ANY OF
THESE
PROBLEMS




TYPICAL SIGNS**

☐ Condensation on windows ☐ Condensation or staining on walls or ceilings ☐ Water dripping from exhaust grill ☐ Mold between ceramic tiles ☐ Rotting window sills ☐ Damaged gypsum board under windows ☐ Bulging gypsum board ☐ Peeling paint or wallpaper ☐ Musty smells ☐ Visible mold damage, staining or growth on floor or carpet ☐ Curling floor tiles ☐ Water pooling around toilet, sink or tub ☐ Unexplained increase in water bill ☐ Mold on walls or ceiling ☐ Condensation on toilet tank ☐ Mold under toilet tank

^{**}You may not see signs in your bathroom, but the moisture may end up in other parts of your house.



- $\hfill\square$ Too much moisture in bathroom
- ☐ Moisture from hot baths and showers
- ☐ There is no bathroom fan.
- ☐ Bathroom fan not being used.
- ☐ Uninsulated fan ducts
- ☐ Backdraft damper on fan housing inadequate
- ☐ Leaky plumbing
- \square Plumbing leaking behind walls
- ☐ Dampness from wet bath mats, towels and drying clothes
- ☐ Inadequate ventilation
- ☐ Temperature kept too low
- ☐ Seal lost around shower stall or tub
- ☐ Uninsulated vent ducts
- ☐ Uninsulated toilet tank



PRACTICAL SOLUTIONS

- ☐ Turn on fan when showering or taking a bath.
- ☐ Install a bathroom fan exhausted to outside (window only cannot be relied upon).
- ☐ Allow fan to run for 15 minutes or longer to allow removal of moisture.
- ☐ Squeegee or towel dry surfaces in shower stall or bath enclosure after use.
- ☐ Close bathroom door when showering.
- ☐ Install a humidistat that turns exhaust fan on and off automatically.
- ☐ Fix leaky plumbing.
- \square Supply adequate heat and ventilation.
- ☐ Caulk shower stall, tub and sink.
- $\hfill\square$ Properly insulate walls and ceilings.
- ☐ Consult professional contractor for replacement of moldy walls.
- ☐ Have vent ducts properly installed.
- ☐ Remove carpet.
- ☐ Install a 6-litre toilet—these do not sweat.
- ☐ Clean surfaces regularly.

4) PROBLEMS IN YOUR KITCHEN?

IF YOU HAVE
ANY OF
THESE
PROBLEMS



TYPICAL SIGNS*

- ☐ Condensation on windows, ceilings and/or walls
- ☐ Damaged walls under windows
- ☐ Peeling paint or curling tiles
- ☐ Moisture under sinks or kitchen counters
- ☐ Rotting cabinetry under sinks
- ☐ Mold in cupboards and corners of interior surfaces of outside walls
- ☐ Musty odours

Moisture source may not originate from the same room.



- ☐ Excessive moisture in home (there are moisture sources in other areas).
- ☐ No kitchen exhaust fan over stove
- ☐ Prolonged or continuous simmering and boiling of foods and liquids
- ☐ Combustion moisture from gas ranges
- \square Leaks around sinks and fittings
- ☐ Plumbing leaks
- ☐ Garbage or wet items contributing to moisture
- ☐ Mold growing behind refrigerator condensate pan.
- ☐ Items in cupboard against outside walls preventing air circulation.
- ☐ Temperature too low or fluctuating




PRACTICAL SOLUTIONS

- ☐ Control overall house humidity. ☐ Install and use a quiet kitchen
- exhaust fan vented to the outdoors.

 Cover liquids and foods when
- simmering or boiling.
- ☐ Use range hood exhaust while operating stove.
- ☐ Caulk sink and fittings to counter.
- ☐ Repair leaks.
- Occasionally clean condensate pan.
- ☐ Keep items a few inches away from far wall.
- ☐ Open cupboards occasionally to allow heat in.
- ☐ Keep compost or garbage in covered containers under the sink.

5) PROBLEMS IN YOUR **BEDROOM?**

CHECK
IF YOU HAVE
ANY OF
THESE
PROBLEMS



TYPICAL SIGNS

□ Condensation on windows
 □ Rotting window sills
 □ Mold around window sills
 □ Damage or stained, peeling paint on gypsum wallboards or ceiling
 □ Peeling wallpaper
 □ Cracked or bulging ceiling
 □ Musty odours
 □ A damp, musty closet
 □ Mold in closets, surfaces of outside walls, behind furniture or hanging artwork, etc.
 □ Water dripping from ceiling fixtures

^{*} RH=relative humidity



☐ Excessive house humidity levels (moisture may be coming from another part of the house).

☐ Frequent use of room humidifier

- ☐ Lack of air circulation within room
- ☐ Energy-inefficient windows
- ☐ Closed drapes and blinds preventing heat reaching window
- ☐ Lack of air circulation in closet
- ☐ Inadequate gap at bottom of closet door
- Bedroom temperature much lower than in other rooms
- ☐ Bed and bedroom furniture too close to outside walls, preventing air movement
- ☐ Too many furnishings preventing proper air flow in room
- ☐ Old, musty carpet
- ☐ Inadequate insulation in outer walls or attic



PRACTICAL SOLUTIONS

- ☐ Run humidifier for a short time, monitor the RH*, ensure room dries after use.
- ☐ Control humidity throughout house.
- $\hfill \square$ Keep air registers unobstructed.
- ☐ Leave bedroom door open to allow better circulation or trim bottom of door to create a gap.
- ☐ Windows may need upgrading.
- ☐ Open drapes or blinds to warm surfaces.
- ☐ Do not store items in closet from floor to ceiling on outside walls.
- ☐ Open closet door to allow air to circulate, or install louvred doors.
- ☐ Provide heat to bedroom.
- ☐ Keep furniture 6" (15 cm) from outside walls, ducts and cold air return.
- ☐ Reduce furnishings.
- ☐ Consider hard surface flooring.
 - ☐ Properly insulate cold outer walls and ceiling.

6) PROBLEMS IN THE


ATTIC AND ROOF?

IF YOU HAVE
ANY OF
THESE
PROBLEMS



TYPICAL SIGNS

- ☐ Ice dams
- ☐ Condensation, frost and mold on roof trusses and sheathing
- ☐ Condensation near vents or plumbing stack
- ☐ Condensation near wiring or electric fixtures
- ☐ Water draining from soffit vents



- ☐ Ice dams
- ☐ Gaps and cracks in ceiling, allowing warm air to escape to attic
- ☐ Uninsulated and unsealed attic hatch
- \square Missing chimney firestop
- ☐ Kitchen and bathroom exhaust fans vented into attic
- ☐ Unsealed electrical or plumbing fixtures, vents, etc.
- ☐ Leaking roof
- ☐ Leaky, uninsulated ducts in attic



PRACTICAL SOLUTIONS

- ☐ Carefully seal all penetrations to prevent house air leaking into the attic.
- ☐ Seal and insulate attic hatch.
- ☐ Install and seal chimney firestop around chimney to reduce air leakage into attic.
- ☐ Exhaust all vents directly to outside.
- ☐ Seal light fixtures.
- ☐ Repair roof and flashings.
- ☐ Reduce excess humidity levels in the house.
- ☐ Seal and insulate ducts passing through attic.

7) PROBLEMS IN THE **EXTERIOR WALL?**


CHECK
IF YOU HAVE
ANY OF
THESE
PROBLEMS



TYPICAL SIGNS

- ☐ Bulging, buckled or rotting siding
- ☐ Blistering or flaking paint
- ☐ Appearance of frost condensation
- ☐ Wet stains or chalky deposits on brick or stucco
- ☐ Cracks on foundation
- ☐ Puddles next to foundation

^{*} Note: Poor surface drainage around your house may cause dampness inside your basement.



- ☐ Warm moist, inside air leaking out through break in air barrier in wall.
- ☐ Wind-driven rain causing water to penetrate the wall cladding from outside.
- ☐ Inadequate or missing flashings
- ☐ Overflow of rainbarrel not directed away from foundation.*
- ☐ Broken downspout, or downspout termination on foundation*
- ☐ No eavestroughs or gutters
- ☐ Broken or clogged eavestrough/gutter
- ☐ Poor drainage and grading and missing splash block*
- ☐ Poor grading of landscape*
- ☐ Poor grading under porches and decks*
- ☐ Outdoor tap/garden hose leaking



PRACTICAL SOLUTIONS

- ☐ Seal all openings into outer walls.
- ☐ Reduce excess moisture in the house.
- ☐ Improve house ventilation.
- ☐ Install or repair flashing to lead rain away from wall.
- ☐ Direct overflow spout of rainbarrel away from foundation.
- \square Repair broken downspout.
- ☐ Install eavestroughs/gutters and extend away from house.
- ☐ Repair or clean out eavestroughs/gutters.
- ☐ Re-grade ground to drain surface water away from building.
- ☐ Fix leaky tap. Add hose extension to minimize water pooling under foundation.

VENTILATION OPTIONS

After reducing moisture sources, ventilation may be used to improve indoor air quality.

All ventilation systems should be balanced, i.e., air in = air out, with intakes sized to allow easy entry of enough air to supply all exhaust devices.

Passive ventilation

In the winter, open one or more windows for a short time. This can provide temporary ventilation, but is not always effective or economical.

Exhaust-only ventilation

The minimum is exhaust fans in bathrooms and kitchen running for hours per day.*





*Caution: when using large exhaust fans, combustion appliances with chimney may not operate properly.

Ventilation combined with air circulation


If you have a forced air system, operate the fan continuously or intermittently. Combined with opening windows or using an exhaust fan, this will result in improved air quality through the whole house. A drawback is that most fans have a high energy consumption.


Balanced ventilation systems

Exhaust fan runs in conjunction with fresh air intake to the furnace circulating air system.

Heat recovery ventilation

Combustion appliances with matched intakes and exhausts run smoothly.






Note: In some houses that employ combustion devices, gas, oil or wood furnaces, water heaters, fireplaces, etc., a fresh air supply may be required to match the flows of exhaust-only ventilation systems.

SOLUTIONS

Many ventilation options can affect the performance of combustion appliances, especially when large fans are used. Learn more by consulting CMHC's *About Your House* series or consulting a competent heating and ventilation contractor.

You can protect yourself from the worst effects of combustion appliance spillage through the use of a CSA certified carbon-monoxide detector and smoke alarm.

NOTES



PROTECT YOUR HOUSE AND HEALTH

MOIST STALE AIR



ALL MOIST STALE AIR
SHOULD BE REPLACED
WITH FRESH AIR EVERY
3 TO 4 HOURS.

MOISTURE AND AIR Householders Guide

Other available publications

6202/	Measuring Humidity in Your Home
60516	Fighting Mold: The Homeowner's Guide
62037	The Importance of Bathroom and Kitchen Fans
62045	Choosing a Dehumidifier
62250	Renovating Your Basement — Moisture Problems
62341	The Condominium Owner's Guide to Mold
61082	Clean Air Guide: How to Identify and Correct Indoor Air Problems in Your Home $ \\$
62277	Hiring a Contractor

Remax MLS real estate homes for sale including apartments, land, acreages and farms.